

LDA 3650

	Transom										STATION										Stem						
	3650	3285	2920	2555	2190	1825	1460	1095	730	365	182.5	63	0	10	9	8	7	6	5	4	3	2	1	0d	0b	0	
Keel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	2	5.5	92.5	-	
12.5 A3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	2	9	44	277.5	-	
25 A2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.5	10.5	52	176	-	-	
50 A1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	22	59.5	193.5	440.5	-	-	
100 A	2	2	1.5	2	2	3	7.5	22	59.5	193.5	440.5	-	-	115	216.5	476.5	-	-	-	-	-	-	-	-	-	-	
200 B	10.5	10	9.5	12	16	25.5	53	115	216.5	476.5	-	-	-	235.5	373.5	-	-	-	-	-	-	-	-	-	-	-	-
300 C	34	33.5	36	42	54	86	151	235.5	373.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400 D	72	78	86	99	133.5	186.5	257.5	356.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500 E	167	174	183	200	233.5	287	363.5	477	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600 F	267	274	282.5	300	333.5	388	470	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
700 G	367	374	383	400	433.5	488.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KeelDatum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TruSpring	71.5	58	44	30	17	6	0	2	12	35	52	66	76.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chine	75	82	88	99	113	115	112	101.5	82.5	50.5	29	12	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/2Width	408	408	405	399	379.5	329	263	188.5	115	49.5	22	7	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunwale	400	420	440	460	478.5	596	507	512	508	490.5	477	464.5	455	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/2width	733	745.5	757	759.5	745	706.5	635	530	385.5	205	104.5	37.5	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VJ Hull 6XC (Narrowest high sheer version of Hull 06) CHINES ADDED

- LDA 3650
- Frame spacing 365
- 1/2 Frame spacing 182.5
- Frame 0a 31.5 from stem
- Frame 0b 63 from stem
- Frame 0c 126 from stem
- Frame 0d 182.5 from stem